

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	109	(x-RAY SAME POWER ADJ SUPPLY).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:04
L3	2	(x-RAY SAME POWER ADJ SUPPLY SAME CAPACITORS ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:07
L4	1	( POWER ADJ SUPPLY AND CAPACITORS AND PROGRAMMER ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:08
L5	1	( X ADJ RAY AND CAPACITORS AND PROGRAMMER ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:09
L6	0	( X ADJ RAY AND CAPACITORS AND PROGRAMMER )AND "307"/\$.CCLS.	US-PGPUB	OR	OFF	2007/09/04 07:12
L7	0	( X ADJ RAY AND CAPACITORS AND PROGRAMMER )AND 378/118.CCLS.	US-PGPUB	OR	OFF	2007/09/04 07:13
L8	0	( X ADJ RAY AND CAPACITORS AND PROGRAMMER )AND "378"/\$.CCLS.	US-PGPUB	OR	OFF	2007/09/04 07:13

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	109	(x-RAY SAME POWER ADJ SUPPLY).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:04
L3	2	(x-RAY SAME POWER ADJ SUPPLY SAME CAPACITORS ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:07
L4	1	( POWER ADJ SUPPLY AND CAPACITORS AND PROGRAMMER ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:08
L5	1	( X ADJ RAY AND CAPACITORS AND PROGRAMMER ).CLM.	US-PGPUB	OR	OFF	2007/09/04 07:09
L6	0	( X ADJ RAY AND CAPACITORS AND PROGRAMMER )AND "307"/\$.CCLS.	US-PGPUB	OR	OFF	2007/09/04 07:09